



BELLE
LIGHT
CONSTRUCTION
EQUIPMENT



RPX 59

REVERSIBLE PLATE COMPACTORS



BELLE
LIGHT
CONSTRUCTION
EQUIPMENT

RPX 59 RANGE

IF YOU'RE NOT MOVING FORWARDS YOU'RE MOVING BACKWARDS

NEW heavy duty range of reversible plate compactors built to withstand the harshest site conditions. With improved baseplate design for excellent gradability & increased travel speeds and a higher compaction force for shorter usage times and deeper compaction.

Complete with Hourmeter as standard on Diesel Electric Start & Petrol models and Extension Width options available for more versatility. The perfect solution for the rental market.

Available with Honda petrol, Hatz diesel or Hatz diesel electric engine options.

FEATURES & BENEFITS

- Robust design for long-life and use in the harshest site conditions.
- Petrol & Diesel models to suit all kind of applications.
- Electric start with key ignition & LED warning lamps, eliminates need for operator training associated with manual starting (Hatz models only)
- Control Handle & Additional Fixed Handle with strong locking:-
 - More positive handling & control.
 - Reduces shock loading on control handles.
- Angled baseplate for excellent gradability and travel speeds.
- Low HAV handle, safe for operators to use for long periods.
- High Compaction force for fast work and deep compaction.
- Handle mounted throttle, perfect for the operator.
- High performance battery (Hatz Electric Start only).
- Cyclone Air Filter as standard on Honda GX390 model.
- Hourmeter as standard on Petrol and Diesel Electric models.
- Specifically designed for hire and rental markets.
- Extension Plates available to give 650mm or 750mm width base plates.





HANDLE MOUNTED THROTTLE, PERFECT FOR THE OPERATOR



FIXED HANDLE TO AID MANOUVERABILITY



HONDA GX390 (CYCLONE) PETROL ENGINE MODEL AVAILABLE



ELECTRIC, KEY IGNITION START & LED WARNING LAMPS (DIESEL ELECTRIC MODEL)




HOURMETER AS STANDARD ON PETROL & DIESEL ELECTRIC MODELS



2 X 75MM OR 2 X 125MM BASEPLATE EXTENSION PLATES AVAILABLE AS AN OPTION

TECHNICAL SPECIFICATIONS



RPX 59/65

Part No.	
Engine Power	(Hp / kW)
Engine RPM	
Plate Width	(mm)
Static Pressure	(kg/m ²)
Centrifugal Force	(kN)
Frequency	(Hz)
Max Gradient	(°)
Max. Travel Speed	(m/min)
Vibration Level	(m/sec ²)
Weight	(kg)
Noise Level	(dB(A))

Honda GX390 Petrol

161.9.214
9.4 / 7.0
3000
650
1241
59
70
20
28
3.1
360
109

Hatz 1D50 Diesel

161.9.212
10.7 / 7.9
3000
650
1420
59
70
20
28
2.4
412
109

Hatz 1D50 Diesel Electric Start

161.9.213
10.7 / 7.9
3000
650
1524
59
70
20
28
2.4
442
109

RPX 59/75

Part No.	
Engine Power	(Hp / kW)
Engine RPM	
Plate Width	(mm)
Static Pressure	(kg/m ²)
Centrifugal Force	(kN)
Frequency	(Hz)
Max Gradient	(°)
Max. Travel Speed	(m/min)
Vibration Level	(m/sec ²)
Weight	(kg)
Noise Level	(dB(A))

Honda GX390 Petrol

161.9.218
9.4 / 7.0
3000
750
1102
59
70
20
28
3.1
375
109

Hatz 1D50 Diesel

161.9.216
10.7 / 7.9
3000
750
1256
59
70
20
28
2.4
427
109

Hatz 1D50 Diesel Electric Start

161.9.217
10.7 / 7.9
3000
750
1344
59
70
20
28
2.4
457
109

OPTIONS

75mm Extension Plates	OPP/106/DIO (Gives 650mm Base)
125mm Extension Plates	OPP/107/DIO (Gives 750mm Base)



BELLE
LIGHT
CONSTRUCTION
EQUIPMENT

ALTRAD BELLE
Sheen, Nr. Buxton, Derbyshire, SK17 0EU, GB
Tel. +44 (0)1298 84606 - Fax +44 (0)1298 84722 - Email: sales@altrad-belle.com
www.Altrad-Belle.com
www.ALTRAD-Belle247.com